

# 33ft ELA Offshore Sanitary Container

Type: PREMIUM PLUS

# ela[container]



## Brief Description

The 33ft ELA Offshore PREMIUM PLUS is specially designed for offshore use and is **applicable for non-hazardous areas**. The containers are applicable on offshore units such as platforms, rigs, jack-up barges and pontoons.

### Every Container is basically equipped with...

- + interior corridor with two separate rooms
- + B15 walls and ceiling with A0 insulation
- + B15 internal doors and A60 outer doors
- + A60 window 600 x 800 mm in each cabin
- + a prewiring for connection to existing PA/GA-System
- + power and internet sockets, switches, lights, loudspeakers
- + HVAC-System for heating and cooling (-20° to +40 °C)
- + air circulation system in all cabins and corridor
- + fire dampers and fire extinguishers
- + internal piping and cable connections

### The Sanitary Container is additionally equipped with...

Sanitary Room equipped with:

Furnishings for more than 50 people:


- + showers
- + water heater 400 L
- + washing troughs
- + coat hooks

Toilet Room equipped with:

- + toilets
- + urinals
- + wash basin
- + coat hooks
- + wastewater connection: DN 100 mm / 4 in.
- + freshwater connection: 3/4 in. with a max. pressure of 4 bar / 58 psi
- + electrical connection value approx. 10 - 12 kW

ELA Container Offshore GmbH, Zeppelinstraße 19-21, 49733 Haren (Ems)  
Tel +49 5932 7323-500, Fax +49 5932 7323-510, www.ela-offshore.com, info@ela-offshore.com

## Features



### Certificates and Approvals

- + DNV 2.7-3
- + High Cube

### Dimensions

- + L 10000 mm x W 3000 mm x H 2896 mm
- L 33 ft x W 9 ft 85 in x H 9 ft 6 in
- + Inside height: 2450 mm / 8 ft

### Weight

- + MGW offshore: 9.5 t / 20,944 lbs.
- + Tare weight: 9 t / 19,841 lbs.

### Electrical Power Requirements

- + Main outside connection: 400 V / 50 Hz
  - Alternative: 440 V or 460 V / 60 Hz
  - + Inside power: 230 V
  - Alternative: 110 V
- Electrical installation according to VDE 0100.